

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 10/22/2021 Revision date: 10/22/2021 Supersedes version of: 2/5/2018 Version: 1.3

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Trade name : FARECLA G3 PRO SPRAY WAX

UFI : XX00-Q0SG-F00M-EY40

Danish product registration number : PR-4355184
Product code : 7211, 7234

Other means of identification : UPC 78072706604

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use

Use of the substance/mixture : Cleaning/washing agents and additives

1.2.2. Uses advised against

Restrictions on use : This material should not be used for any other purpose than the identified uses without

expert advice. Improper use may cause potential health, safety and environmental risks.

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer Only Representative

Farecla Products Limited Saint-Gobain Coating Solutions

Broadmeads 50 rue du Mourelet Z.I. Courtine Mourre Frais, B.P.

Ware, SG12 9HS – Hertfordshire FR– 90966 84093 Avignon – Cedex

UK France

T +44 (0)19 2046 5041 (8:30-16:30 Monday to Friday) - F +44 (0)19 2046 T 0033 (0) 4 90 85 85 00 - F 0033 (0) 4 90 82 94 52

557 <u>qualité-ehs.coating-solutions@saint-gobain.com</u>

technical@farecla.com - www.farecla.com

# 1.4. Emergency telephone number

Emergency number : +44 (0)19 2046 5041 (8:30-16:30 Monday to Friday)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD 2090 Msida	+356 2545 6508	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2

Full text of H- and EUH-statements: see section 16

10/22/2021 (Revision date) EN (English) 1/15

H319

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Adverse physicochemical, human health and environmental effects

Causes serious eye irritation.

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP) : Warning

Hazard statements (CLP) : H319 - Causes serious eye irritation.
Precautionary statements (CLP) : P102 - Keep out of reach of children.

P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves, protective clothing, eye protection, face protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.

#### **Nordic countries regulation**

**Denmark** 

Danish product registration number : PR-4355184

MAL code : 1-3

# 2.3. Other hazards

Other hazards which do not result in classification : None under normal conditions.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

# **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Propan-2-ol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	1 - 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Comments : Contains amongst other ingredients:

< 5% Perfume

Full text of H- and EUH-statements: see section 16

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Take off contaminated clothing. Wash skin with plenty of water. If skin irritation occurs: Get

medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth out with water. Do not induce vomiting. Never give anything by mouth to an

unconscious person. Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Eye irritation. redness, itching, tears.

Symptoms/effects after ingestion : May cause irritation to the digestive tract. Abdominal pain, nausea.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : None known.

### 5.2. Special hazards arising from the substance or mixture

Explosion hazard : No direct explosion hazard.

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon monoxide. Carbon dioxide.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Shovel or sweep up and put in a closed

container for disposal. Clean contaminated surfaces with an excess of water.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

10/22/2021 (Revision date) EN (English) 3/15

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Incompatible products : Oxidizing agent. Strong acids. Strong bases.

Information on mixed storage : Store away from foodstuffs.

Storage area : Store away from heat. Store in a well-ventilated place.

Special rules on packaging : Keep only in original container. Store in a closed container.

# 7.3. Specific end use(s)

Refer to Section 1.2 - Relevant identified uses.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Propan-2-ol (67-63-0)				
Austria - Occupational Exposure Limits				
MAK (OEL TWA)	500 mg/m³			
MAK (OEL TWA) [ppm]	200 ppm			
MAK (OEL STEL)	2000 mg/m³ 2000 mg/m³ (STEL for large casting valid until December 31, 2013)			
MAK (OEL STEL) [ppm]	800 ppm 800 ppm (STEL for large casting valid until December 31, 2013)			
OEL chemical category	Group C Carcinogen by manufacturing of strong Acid process			
Belgium - Occupational Exposure Limits				
Local name	Alcool isopropylique # Isopropylalcohol			
OEL TWA	500 mg/m³			
OEL TWA [ppm]	200 ppm			
OEL STEL	1000 mg/m³			
OEL STEL [ppm]	400 ppm			
Regulatory reference	Koninklijk besluit/Arrêté royal 21/01/2020			
Bulgaria - Occupational Exposure Limits				
Local name	Изопропилов алкохол			
OEL TWA	980 mg/m³			
OEL STEL	1225 mg/m³			
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр.5 от 17 Януари 2020 г.)			
Croatia - Occupational Exposure Limits				
GVI (OEL TWA) [1]	999 mg/m³			

# Safety Data Sheet

Propan-2-ol (67-63-0)			
GVI (OEL TWA) [2]	400 ppm		
KGVI (OEL STEL)	1250 mg/m³		
KGVI (OEL STEL) [ppm]	500 ppm		
Croatia - Biological limit values			
BLV	50 mg/l Parameter: Acetone - Medium: blood - Sampling time: at the end of the work shift 50 mg/l Parameter: Acetone - Medium: urine - Sampling time: at the end of the work shift		
Czech Republic - Occupational Exposure Limits			
Local name	iso-Propanol (2-Propanol; iso-Propylalkohol)		
PEL (OEL TWA)	500 mg/m³		
PEL (OEL TWA) [ppm]	204 ppm		
NPK-P (OEL C)	1000 mg/m³		
NPK-P (OEL C) [ppm]	410 ppm		
OEL chemical category	Potential for cutaneous absorption		
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (zapracovány změny č. 246/2018 Sb.)		
Denmark - Occupational Exposure Limits			
OEL TWA [1]	490 mg/m³		
OEL TWA [2]	200 ppm		
Estonia - Occupational Exposure Limits			
OEL TWA	350 mg/m³		
OEL TWA [ppm]	150 ppm		
OEL STEL	600 mg/m³		
OEL STEL [ppm]	250 ppm		
Finland - Occupational Exposure Limits			
HTP (OEL TWA) [1]	500 mg/m³ (Propanol)		
HTP (OEL TWA) [2]	200 ppm (Propanol)		
HTP (OEL STEL)	620 mg/m³		
HTP (OEL STEL) [ppm]	250 ppm		
France - Occupational Exposure Limits			
Local name	Alcool isopropylique		
VLE (OEL C/STEL)	980 mg/m³		
VLE (OEL C/STEL) [ppm]	400 ppm		
Remark	Valeurs recommandées/admises		
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)		
Germany - Occupational Exposure Limits (TRGS 900)			
Local name	Propan-2-ol		
AGW (OEL TWA) [1]	500 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
AGW (OEL TWA) [2]	200 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
Peak exposure limitation factor	2(II)		

# Safety Data Sheet

Propan-2-ol (67-63-0)			
Remark	DFG;Y		
Regulatory reference	TRGS900		
Germany - Biological limit values (TRGS 903)			
Biological limit value	25 mg/l Parameter: Acetone - Medium: whole blood - Sampling time: end of shift 25 mg/l Parameter: Acetone - Medium: urine - Sampling time: end of shift		
Greece - Occupational Exposure Limits			
Local name	Ισοπροπυλική αλκοόλη		
OEL TWA	980 mg/m³		
OEL TWA [ppm]	400 ppm		
OEL STEL	1225 mg/m³		
OEL STEL [ppm]	500 ppm		
Regulatory reference	Π.Δ. 90/1999		
Hungary - Occupational Exposure Limits			
AK (OEL TWA)	500 mg/m³		
CK (OEL STEL)	2000 mg/m³		
OEL chemical category	Potential for cutaneous absorption		
Ireland - Occupational Exposure Limits			
Local name	Isopropyl alcohol [Propan-2-ol]		
OEL TWA [2]	200 ppm		
OEL STEL [ppm]	400 ppm		
OEL chemical category	Potential for cutaneous absorption		
Regulatory reference	Chemical Agents Code of Practice 2020		
Latvia - Occupational Exposure Limits			
OEL TWA	350 mg/m³		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	350 mg/m³		
IPRV (OEL TWA) [ppm]	150 ppm		
TPRV (OEL STEL)	600 mg/m³		
TPRV (OEL STEL) [ppm]	250 ppm		
Poland - Occupational Exposure Limits			
Local name	Propan-2-ol (izopropylowy alkohol)		
NDS (OEL TWA)	900 mg/m³		
NDSCh (OEL STEL)	1200 mg/m³		
Regulatory reference	Dz. U. 2018 poz. 1286		
Portugal - Occupational Exposure Limits			
OEL TWA [ppm]	200 ppm		
OEL STEL [ppm]	400 ppm		
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen		

# Safety Data Sheet

Propan-2-ol (67-63-0)				
Romania - Occupational Exposure Limits				
OEL TWA	200 mg/m³			
OEL TWA [ppm]	81 ppm			
OEL STEL	500 mg/m³			
OEL STEL [ppm]	203 ppm			
Romania - Biological limit values				
BLV	50 mg/l Parameter: Acetone - Medium: urine - Sampling time: end of shift			
Slovakia - Occupational Exposure Limits				
NPHV (OEL TWA) [1]	500 mg/m³			
NPHV (OEL TWA) [2]	200 ppm			
NPHV (OEL C)	1000 mg/m³			
Slovenia - Occupational Exposure Limits				
OEL TWA	500 mg/m³			
OEL TWA [ppm]	200 ppm			
OEL STEL	1000 mg/m³			
OEL STEL [ppm]	400 ppm			
Spain - Occupational Exposure Limits				
Local name	Isopropanol (Alcohol isopropílico)			
VLA-ED (OEL TWA) [1]	500 mg/m³ (the partial or complete commercialization or use of this substance as a phytosanitary or biocide compound is prohibited)			
VLA-ED (OEL TWA) [2]	200 ppm (the partial or complete commercialization or use of this substance as a phytosanitary or biocide compound is prohibited)			
VLA-EC (OEL STEL)	1000 mg/m³			
VLA-EC (OEL STEL) [ppm]	400 ppm			
Remark	VLB® (Agente químico que tiene Valor Límite Biológico), s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas Base de datos de productos fitosanitarios http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf).			
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2019. INSHT			
Spain - Biological limit values				
Local name	Isopropanol (Alcohol isopropílico)			
BLV	40 mg/l Parameter: Acetone - Medium: urine - Sampling time: end of workweek			
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2019. INSHT			
Sweden - Occupational Exposure Limits				
Local name	Isopropanol			
NGV (OEL TWA)	350 mg/m³			
NGV (OEL TWA) [ppm]	150 ppm			
KTV (OEL STEL)	600 mg/m <sup>3</sup>			
KTV (OEL STEL) [ppm]	250 ppm			

# Safety Data Sheet

Propan-2-ol (67-63-0)				
Regulatory reference	Hygieniska gränsvärden (AFS 2018:1)			
United Kingdom - Occupational Exposure Limits				
Local name	Propan-2-ol			
WEL TWA (OEL TWA) [1]	999 mg/m³			
WEL TWA (OEL TWA) [2]	400 ppm			
WEL STEL (OEL STEL)	1250 mg/m³			
WEL STEL (OEL STEL) [ppm]	500 ppm			
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE			
Norway - Occupational Exposure Limits				
Local name	2-propanol (Isopropanol)			
Grenseverdi (OEL TWA) [1]	245 mg/m³			
Grenseverdi (OEL TWA) [2]	100 ppm			
Korttidsverdi (OEL STEL)	306.25 mg/m³ (value calculated)			
Korttidsverdi (OEL STEL) [ppm]	125 ppm (value calculated)			
Regulatory reference	FOR-2018-08-21-1255			
Switzerland - Occupational Exposure Limits				
Local name	2-Propanol / 2-Propanol [iso-Propylalkohol, Isopropanol, Isopropylalkohol]			
MAK (OEL TWA) [1]	500 mg/m³			
MAK (OEL TWA) [2]	200 ppm			
KZGW (OEL STEL)	1000 mg/m³			
KZGW (OEL STEL) [ppm]	400 ppm			
Critical toxicity	VRS, Foie, SNC, Yeux / OAW, Leber, ZNS, Auge			
Notation	SS <sub>C</sub> , B / SS <sub>C</sub> , B			
Remark	INRS, NIOSH			
Regulatory reference	www.suva.ch, 01.01.2020			
Switzerland - BAT				
BAT	25 mg/l Parameter: Acetone - Medium: urine - Sampling time: end of shift 25 mg/l Parameter: Acetone - Medium: whole blood - Sampling time: end of shift			
USA - ACGIH - Occupational Exposure Limits				
Local name	2-Propanol			
ACGIH OEL TWA [ppm]	200 ppm			
ACGIH OEL STEL [ppm]	400 ppm			
Remark (ACGIH)	TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI			
ACGIH chemical category	Not Classifiable as a Human Carcinogen			
Regulatory reference	ACGIH 2019			
USA - ACGIH - Biological Exposure Indices				
Local name	2-PROPANOL			
BEI	40 mg/l Parameter: Acetone - Medium: urine - Sampling time: end of shift at end of workweek (background, nonspecific)			

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Propan-2-ol (67-63-0)

Regulatory reference

**ACGIH 2019** 

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Gloves.

#### Personal protective equipment symbol(s):





#### 8.2.2.1. Eye and face protection

# Eye protection:

Safety glasses

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

# Hand protection:

Nitrile rubber gloves

## 8.2.2.3. Respiratory protection

#### Respiratory protection:

No personal respiratory protective equipment normally required. In inadequately ventilated areas, where workplace limits are exceeded, where unpleasant odours exist or where aerosols are in use, or smoke and mist occur, use self-contained breathing apparatus or breathing apparatus with a type A filter or appropriate combined filter (e.g. where aerosols are in use, or smoke and mist occur, A-P2 or ABEK-P2), in compliance with EN 141.

# 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : red.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Explosive properties : Product is not explosive.

Oxidising properties : Non oxidizing material according to EC criteria.

**Explosive limits** : Not available Lower explosive limit (LEL) : Not available : Not available Upper explosive limit (UEL) : 60 - 93 °C Flash point : Not available Auto-ignition temperature Not available Decomposition temperature рΗ : 6-8 Viscosity, kinematic : Not available Solubility : Soluble in water. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50 °C : Not available : Not available Density Relative density : 0.98 – 1 Relative vapour density at 20 °C : Not available : Not applicable

Relative vapour density at 20 °C : Not available
Particle size : Not applicable
Particle size distribution : Not applicable
Particle shape : Not applicable
Particle aspect ratio : Not applicable
Particle aggregation state : Not applicable
Particle agglomeration state : Not applicable
Particle specific surface area : Not applicable
Particle dustiness : Not applicable

#### 9.2. Other information

# 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content : 100 g/l

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

# 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not Classified Acute toxicity (dermal) : Not Classified Acute toxicity (inhalation) : Not Classified

Propan-2-ol (67-63-0)		
LD50 oral rat	5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 oral	4384 mg/kg	
LD50 dermal rabbit	4059 mg/kg	
LC50 Inhalation - Rat	72600 mg/m³ (Exposure time: 4 h)	

Skin corrosion/irritation : Not Classified pH: 6 – 8

Serious eye damage/irritation : Causes serious eye irritation.

pH: 6 - 8 Respiratory or skin sensitisation : Not Classified Germ cell mutagenicity : Not Classified Carcinogenicity Not Classified

# Propan-2-ol (67-63-0)

3 - Not classifiable IARC group

Reproductive toxicity : Not Classified STOT-single exposure : Not Classified

#### Propan-2-ol (67-63-0)

STOT-single exposure May cause drowsiness or dizziness.

STOT-repeated exposure : Not Classified Aspiration hazard Not Classified

# 11.2. Information on other hazards

No additional information available

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

Hazardous to the aquatic environment, long-term

(acute)

(chronic)

Not rapidly degradable

: Not Classified

: Not Classified

Tiot rapidly dogradable	
Propan-2-ol (67-63-0)	
LC50 - Fish [1]	9640 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 - Fish [2]	11130 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	13299 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	> 1000 mg/l (Species: Desmodesmus subspicatus)
EC50 96h - Algae [1]	> 1000 mg/l (Species: Desmodesmus subspicatus)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.2. Persistence and degradability

#### **FARECLA G3 PRO SPRAY WAX**

Persistence and degradability Rapidly biodegradable.

#### 12.3. Bioaccumulative potential

FARECLA G3 PRO SPRAY WAX		
Bioaccumulative potential No indication of bio-accumulation potential.		
Propan-2-ol (67-63-0)		
Partition coefficient n-octanol/water (Log Pow) 0.05 (at 25 °C)		
Partition coefficient n-octanol/water (Log Kow)	0.05	

### 12.4. Mobility in soil

# **FARECLA G3 PRO SPRAY WAX**

Ecology - soil Readily absorbed into soil.

### 12.5. Results of PBT and vPvB assessment

#### **FARECLA G3 PRO SPRAY WAX**

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods HP Code

- $: \ \, \text{Dispose of contents/container in accordance with licensed collector's sorting instructions}.$
- : HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin

irritation or damage to the eye.

Hazardous Waste Group : H - Organic chemicals without

 H - Organic chemicals without halogen or sulfur (eg. water-based glue, varnish or paint) or mixed organic and inorganic substances.

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID		
14.1. UN number or ID n	14.1. UN number or ID number					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.2. UN proper shipping name						
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.3. Transport hazard class(es)						
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID	
14.4. Packing group					
Not regulated	Not regulated Not regulated Not regulated Not regulated		Not regulated		
14.5. Environmental hazards					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
No supplementary information available					

# 14.6. Special precautions for user

#### **Overland transport**

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

#### Inland waterway transport

Not regulated

#### Rail transport

Not regulated

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

VOC content : 100 g/l

CESIO recommendations : The surfactant(s) contained in this preparation complies(comply) with the biodegradability

criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent

manufacturer.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# 15.1.2. National regulations

France		
Occupational diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG)

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed SZW-lijst van mutagene stoffen : None of the components are listed SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen : None of the components are listed

SZW-lijst van reprotoxische stoffen -

: None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

Switzerland

Storage class (LK) : LK 10/12 - Liquids

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
TLM	Median Tolerance Limit	
vPvB	Very Persistent and Very Bioaccumulative	
BLV	Biological limit value	
CAS-No.	Chemical Abstract Service number	
EC-No.	European Community number	
EN	European Standard	
OEL	Occupational Exposure Limit	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
WGK	Water Hazard Class	

Full text of H- and EUH-statements:		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	

Safety Data Sheet (SDS), EU

While Farecla Products Ltd. believes that the data and information contained herein are factual and the opinions are those of qualified experts, they are not to be taken as a warranty or representation for which Farecla assumes any legal responsibility. They are offered solely for the consideration, investigation, data and information in accordance with applicable laws and regulations.