

Mirka (UK) Ltd  
MK4 1GA Milton Keynes

Date printed 02.12.2022, Revision 02.12.2022

Version 05. Supersedes version: 04

Page 1 / 15

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Polarshine 3 Finishing Antistatic Wax**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Polishing agent

#### 1.2.2 Uses advised against

None known.

### 1.3 Details of the supplier of the safety data sheet

#### Company

Mirka (UK) Ltd  
Saxon House, Shirwell Crescent, Furzton Lake  
MK4 1GA Milton Keynes / GREAT BRITAIN  
Phone +44 (0)1908 866100  
Homepage [www.mirka.com](http://www.mirka.com)  
E-mail [sales@mirka.com](mailto:sales@mirka.com)

#### Address enquiries to

#### Technical information

[sales@mirka.com](mailto:sales@mirka.com)

#### Safety Data Sheet

[sdb@chemiebuero.de](mailto:sdb@chemiebuero.de) (No dispatch of safety data sheets)

Safety data sheets are available from the supplier.

### 1.4 Emergency telephone number

#### Advisory body

For Chemical Emergency: spill, leak, fire, exposure or accident call CHEMTREC day or night:  
Within USA and Canada: +1 800 424 9300; Outside USA and Canada: +1 703 527 3887  
(collect calls accepted)  
CHEMTREC UK: +(44)-870-8200418 (English)  
CHEMTREC Ireland (Dublin): +(353)-19014670 (English, Irish Gaelic)  
Multilingual response for emergency calls only. Non-emergency calls cannot be serviced at these numbers.

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

No classification.

### 2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

#### Hazard pictograms

none

#### Signal word

none

#### Hazard statements

none

#### Precautionary statements

none

#### Special labelling

EUH066 Repeated exposure may cause skin dryness or cracking.  
EUH210 Safety data sheet available on request.  
Product treated with preservatives C(M)IT/MIT (CAS 55965-84-9).

Contains: Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1).  
EUH208 May produce an allergic reaction.

Mirka (UK) Ltd  
MK4 1GA Milton Keynes

Date printed 02.12.2022, Revision 02.12.2022

Version 05. Supersedes version: 04

Page 2 / 15

### 2.3 Other hazards

<b>Human health dangers</b>	Has a degreasing effect on the skin. The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
<b>Environmental hazards</b>	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
<b>Other hazards</b>	Further hazards were not determined with the current level of knowledge.

## SECTION 3: Composition / Information on ingredients

### 3.1 Substances

not applicable

### 3.2 Mixtures

The product is a mixture.

Range [%]	Substance
20 - < 25	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics EINECS/ELINCS: 918-481-9 GHS/CLP: Asp. Tox. 1: H304 - EUH066
1 - < 5	2-Methoxy-1-methylethyl acetate CAS: 108-65-6, EINECS/ELINCS: 203-603-9, EU-INDEX: 607-195-00-7 GHS/CLP: Flam. Liq. 3: H226 - STOT SE 3: H336
0.01 - < 0.1	2-Bromo-2-nitropropane-1,3-diol CAS: 52-51-7, EINECS/ELINCS: 200-143-0, EU-INDEX: 603-085-00-8 GHS/CLP: Acute Tox. 4: H312 - Acute Tox. 4: H302 - STOT SE 3: H335 - Skin Irrit. 2: H315 - Eye Dam. 1: H318 - Aquatic Acute 1: H400, M-Factor (acute): 10
0.00015 - < 0.0015	Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9, EINECS/ELINCS: 611-341-5, EU-INDEX: 613-167-00-5 GHS/CLP: Acute Tox. 3: H301 - Acute Tox. 2: H310 H330 - Skin Corr. 1C: H314 - Eye Dam. 1: H318 - Skin Sens. 1A: H317 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410 - EUH071, M-Factor (acute): 100, M-Factor (chronic): 100 SCL [%]: >=0.0015: Skin Sens. 1A: H317, >=0.6: Eye Dam. 1: H318, >=0.6: Skin Corr. 1C: H314, 0.06 - <0.6: Eye Irrit. 2: H319, 0.06 - <0.6: Skin Irrit. 2: H315

**Comment on component parts** Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. For full text of H-statements: see SECTION 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

<b>General information</b>	Take off contaminated clothing and wash before reuse.
<b>Inhalation</b>	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
<b>Skin contact</b>	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
<b>Eye contact</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
<b>Ingestion</b>	Get medical advice. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.

Mirka (UK) Ltd  
MK4 1GA Milton Keynes

Date printed 02.12.2022, Revision 02.12.2022

Version 05. Supersedes version: 04

Page 3 / 15

#### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.  
If swallowed or in the event of vomiting, risk of product entering the lungs.  
Forward this sheet to your doctor.

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

**Suitable extinguishing media** All extinguishing media are suitable but method must take into account the surrounding area to minimize dispersion.

**Extinguishing media that must not be used** Full water jet.

#### 5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.  
Risk of formation of toxic pyrolysis products.

#### 5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.  
Use self-contained breathing apparatus.  
Cool containers at risk with water spray jet.  
Collect contaminated firefighting water separately, must not be discharged into the drains.  
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.  
High risk of slipping due to leakage/spillage of product.  
Wear suitable protective equipment. For personal protection see SECTION 8.

#### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Do not discharge into the drains/surface waters/groundwater.

#### 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).  
Dispose of absorbed material in accordance with the regulations.

#### 6.4 Reference to other sections

See SECTION 8+13

Mirka (UK) Ltd  
MK4 1GA Milton Keynes

Date printed 02.12.2022, Revision 02.12.2022

Version 05. Supersedes version: 04

Page 4 / 15

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Use only in well-ventilated areas.  
Avoid spilling in enclosed areas.  
Use solvent-resistant equipment.  
During mechanical processing vacuuming at processing machines is necessary.  
Avoid contact with eyes and skin. Use personal protective equipment.  
Keep away from sources of ignition - refrain from smoking.  
Do not eat, drink or smoke when using this product.  
Wash hands before breaks and after work.  
Use barrier skin cream.  
Contaminated work clothing should not be allowed out of the workplace.  
Take off contaminated clothing and wash before reuse.

### 7.2 Conditions for safe storage, including any incompatibilities

Prevent penetration into the ground.  
Provide solvent-resistant and impermeable floor.  
Keep only in original container.  
Do not store together with oxidizing agents.  
Protect from heat/overheating.  
Keep container in a well-ventilated place.  
Keep container tightly closed.  
Keep away from frost.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

## SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

#### Ingredients with occupational exposure limits to be monitored (GB)

Substance
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
EINECS/ELINCS: 918-481-9
Long-term exposure: 800 mg/m <sup>3</sup>
2-Methoxy-1-methylethyl acetate
CAS: 108-65-6, EINECS/ELINCS: 203-603-9, EU-INDEX: 607-195-00-7
Long-term exposure: 50 ppm, 274 mg/m <sup>3</sup> , Sk
Short-term exposure (15-minute): 100 ppm, 548 mg/m <sup>3</sup>

#### Ingredients with occupational exposure limits to be monitored (EU)

Substance / EC LIMIT VALUES
2-Methoxy-1-methylethyl acetate
CAS: 108-65-6, EINECS/ELINCS: 203-603-9, EU-INDEX: 607-195-00-7
Eight hours: 50 ppm, 275 mg/m <sup>3</sup> , H
Short-term (15-minute): 100 ppm, 550 mg/m <sup>3</sup>

Mirka (UK) Ltd  
MK4 1GA Milton Keynes

Date printed 02.12.2022, Revision 02.12.2022

Version 05. Supersedes version: 04

Page 5 / 15

## 8.2 Exposure controls

<b>Additional advice on system design</b>	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
<b>Eye protection</b>	Safety glasses. (EN 166:2001)
<b>Hand protection</b>	The details concerned are recommendations. Please contact the glove supplier for further information. In full contact: > 0.4 mm: Butyl rubber, >480 min (EN 374-1/-2/-3). In splash contact: > 0.4 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).
<b>Skin protection</b>	Protective clothing (EN 340)
<b>Other</b>	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.
<b>Respiratory protection</b>	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
<b>Thermal hazards</b>	No information available.
<b>Delimitation and monitoring of the environmental exposition</b>	Comply with applicable environmental regulations limiting discharge to air, water and soil.

Mirka (UK) Ltd  
MK4 1GA Milton Keynes

Date printed 02.12.2022, Revision 02.12.2022

Version 05. Supersedes version: 04

Page 6 / 15

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	Liquid
Form	viscous
Color	whitish
Odor	characteristic
Odour threshold	No information available.
pH-value	No information available.
pH-value [1%]	No information available.
Boiling point [°C]	No information available.
Flash point [°C]	> 65°C / > 149°F
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm <sup>3</sup> ]	ca. 0.95
Relative density	No information available.
Bulk density [kg/m <sup>3</sup> ]	not applicable
Solubility in water	partially miscible
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	not applicable
Kinematic viscosity	> 20.5 mm <sup>2</sup> /s (40°C / 104°F)
Relative vapour density	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

### 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

### 10.4 Conditions to avoid

Strong heating.

### 10.5 Incompatible materials

No special measures necessary.

Mirka (UK) Ltd  
MK4 1GA Milton Keynes

Date printed 02.12.2022, Revision 02.12.2022

Version 05. Supersedes version: 04

Page 7 / 15

#### 10.6 Hazardous decomposition products

No decomposition if used and stored according to specifications.

Mirka (UK) Ltd  
MK4 1GA Milton Keynes

Date printed 02.12.2022, Revision 02.12.2022

Version 05. Supersedes version: 04

Page 8 / 15

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute oral toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
2-Bromo-2-nitropropane-1,3-diol, CAS: 52-51-7
LD50, oral, Rat, 254 mg/kg
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
LD50, oral, Rat, 5000 - 15000 mg/kg
2-Methoxy-1-methylethyl acetate, CAS: 108-65-6
LD50, oral, Rat, > 5000 mg/kg, OECD 401
Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9
LD50, oral, 64 mg/kg (ECHA. CLH Report)
LD50, oral, Rat, 53 mg/kg

#### Acute dermal toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
2-Bromo-2-nitropropane-1,3-diol, CAS: 52-51-7
LD50, dermal, Rat, > 2000 mg/kg (OECD 402)
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
LD50, dermal, Rabbit, 3160 - 5000 mg/kg
LD50, dermal, Rat, > 2000 mg/kg
2-Methoxy-1-methylethyl acetate, CAS: 108-65-6
LD50, dermal, Rat, > 5000 mg/kg, OECD 402
Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9
LD50, dermal, Rabbit, 87.12 mg/kg (ECHA. CLH Report)

#### Acute inhalational toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
2-Bromo-2-nitropropane-1,3-diol, CAS: 52-51-7
LC50, inhalative, Rat, > 0.588 mg/l (Aerosol. 4h)
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
LC50, inhalative, Rat, 6100 mg/m <sup>3</sup> /4h
2-Methoxy-1-methylethyl acetate, CAS: 108-65-6
LC0, inhalative, Rat, 1728 - 1883 ppm
Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9
LC50, inhalative, Rat, 0.171 mg/l/4h (ECHA. CLH Report)

#### Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.



Mirka (UK) Ltd  
MK4 1GA Milton Keynes

Date printed 02.12.2022, Revision 02.12.2022

Version 05. Supersedes version: 04

Page 9 / 15

Substance
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
no adverse effect observed
2-Methoxy-1-methylethyl acetate, CAS: 108-65-6
Eye, Rabbit, OECD 405, non-irritating
Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9
Causes serious eye damage.

**Skin corrosion/irritation** Based on the available information, the classification criteria are not fulfilled.

Substance
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
no adverse effect observed
2-Methoxy-1-methylethyl acetate, CAS: 108-65-6
dermal, Rabbit, OECD 404, non-irritating
Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9
corrosive

**Respiratory or skin sensitisation** Based on the available information, the classification criteria are not fulfilled.

Substance
2-Bromo-2-nitropropane-1,3-diol, CAS: 52-51-7
Guinea pig, OECD 406, non-sensitizing
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
dermal, no adverse effect observed
2-Methoxy-1-methylethyl acetate, CAS: 108-65-6
dermal, Guinea pig, OECD 406, non-sensitizing
Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9
dermal, sensitising

**Specific target organ toxicity — single exposure** Based on the available information, the classification criteria are not fulfilled.

**Specific target organ toxicity — repeated exposure** Based on the available information, the classification criteria are not fulfilled.

Substance
2-Methoxy-1-methylethyl acetate, CAS: 108-65-6
NOAEL, dermal, Rabbit, 2675 mg/kg bw/day, OECD 410, adverse effect observed
NOAEL, oral, Rat, 1000 mg/kg bw/day, OECD 422, no adverse effect observed
NOAEC, inhalative, Rat, 1650 mg/m <sup>3</sup> , adverse effect observed

**Mutagenicity** Based on the available information, the classification criteria are not fulfilled.

Substance
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
in vivo, negativ
in vitro, negativ
2-Methoxy-1-methylethyl acetate, CAS: 108-65-6
in vitro, OECD 471, negativ
Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9
in vivo, negativ
in vitro, negativ

Mirka (UK) Ltd  
MK4 1GA Milton Keynes

Date printed 02.12.2022, Revision 02.12.2022

Version 05. Supersedes version: 04

Page 10 / 15

**Reproduction toxicity** Based on the available information, the classification criteria are not fulfilled.

Substance
2-Bromo-2-nitropropane-1,3-diol, CAS: 52-51-7
NOAEL, oral, in vivo, 10 mg/kg bw/d (Effect on developmental toxicity), no adverse effect observed
NOAEL, oral, Rat, 150 mg/kg bw/d (Effect on fertility), no adverse effect observed
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
NOAEC, inhalative, Rat, 5220 mg/m <sup>3</sup> , no adverse effect observed
2-Methoxy-1-methylethyl acetate, CAS: 108-65-6
NOAEL, oral, Rat, 1000 mg/kg bw/day, no adverse effect observed
NOAEC, inhalative, Rat, 5400 mg/m <sup>3</sup> , no adverse effect observed

**Carcinogenicity** Based on the available information, the classification criteria are not fulfilled.

Substance
2-Methoxy-1-methylethyl acetate, CAS: 108-65-6
NOAEC, inhalative, Rat, 11058 mg/m <sup>3</sup> , OECD 453, no adverse effect observed

**Aspiration hazard** Based on the available information, the classification criteria are not fulfilled.

**General remarks**

Toxicological data of complete product are not available.

**11.2 Information on other hazards**

**Endocrine disrupting properties**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**Other information**

none

**SECTION 12: Ecological information**

**12.1 Toxicity**

Substance
2-Bromo-2-nitropropane-1,3-diol, CAS: 52-51-7
LC50, (96h), Rainbow trout, 3.0 mg/L (OECD 203)
EC50, (3h), Activated sludge, 43 mg/L (OECD 209)
EC50, (48h), Daphnia sp., 1.04 mg/L (OECD 202)
EC50, (72h), Bacteria, 0.068 mg/L (Anabaena flos-aqua_ OECD 201)
NOEC, (72h), Rainbow trout, 0.0025 mg/L (Anabaena flos-aqua_ OECD 201)
NOEC, (28d), Rainbow trout, 2.61 mg/L (OECD 210)
NOEC, (21d), Daphnia sp., 0.06 mg/L (OECD 211)
EC20, (3h), Activated sludge, 2 mg/L (OECD 209)
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
LC50, (96h), fish, > 1000 mg/l
2-Methoxy-1-methylethyl acetate, CAS: 108-65-6
LC50, (96h), fish, 100 - 180 mg/L
EC50, (72h), Algae, >1 g/L
EC50, (48h), Daphnia magna, > 500 mg/l
Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9
LC50, (96h), Oncorhynchus mykiss, 0.19 mg/l
EC50, (48h), Daphnia magna, 0.18 mg/l
ErC50, Skeletonema costatum, 0.003 mg/l

Mirka (UK) Ltd  
MK4 1GA Milton Keynes

Date printed 02.12.2022, Revision 02.12.2022

Version 05. Supersedes version: 04

Page 11 / 15

## 12.2 Persistence and degradability

<b>Behaviour in environment compartments</b>	No information available.
<b>Behaviour in sewage plant</b>	No information available.
<b>Biological degradability</b>	CAS 52-51-7: > 70% (OECD 301 B); 63.5% (OECD 314) EG 918-481-9: 80%. 28d

## 12.3 Bioaccumulative potential

CAS 52-51-7: Log Kow=0.38 (OECD 107); BCF=3.16 (EPIWIN)

## 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

## 12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

Ecological data of complete product are not available.  
Do not discharge product unmonitored into the environment.

# SECTION 13: Disposal considerations

## 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

### Product

Coordinate disposal with the disposal contractor/authorities if necessary.

### Waste no. (recommended)

080202  
120120\*

### Contaminated packaging

Uncontaminated packaging may be taken for recycling.  
Packaging that cannot be cleaned should be disposed of as for product.

### Waste no. (recommended)

150110\* packaging containing residues of or contaminated by hazardous substances

Mirka (UK) Ltd  
MK4 1GA Milton Keynes

Date printed 02.12.2022, Revision 02.12.2022

Version 05. Supersedes version: 04

Page 12 / 15

#### SECTION 14: Transport information

##### 14.1 UN number or ID number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

##### 14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

##### 14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

##### 14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

Mirka (UK) Ltd  
MK4 1GA Milton Keynes

Date printed 02.12.2022, Revision 02.12.2022

Version 05. Supersedes version: 04

Page 13 / 15

#### 14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

#### 14.7 Maritime transport in bulk according to IMO instruments

not applicable

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 2008/98/EC 2000/532/EC; 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014

**TRANSPORT-REGULATIONS** ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2022)

**NATIONAL REGULATIONS (GB):** EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.

- Observe employment restrictions for people Observe employment restrictions for young people.

- VOC (2010/75/CE) ca. 20 %

#### 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### 16.1 Hazard statements (SECTION 3)

H314 Causes severe skin burns and eye damage.  
H310+H330 Fatal in contact with skin or if inhaled.  
H301 Toxic if swallowed.

H400 Very toxic to aquatic life.  
H318 Causes serious eye damage.  
H315 Causes skin irritation.  
H335 May cause respiratory irritation.  
H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H336 May cause drowsiness or dizziness.  
H226 Flammable liquid and vapour.  
EUH066 Repeated exposure may cause skin dryness or cracking.  
H304 May be fatal if swallowed and enters airways.

Mirka (UK) Ltd  
MK4 1GA Milton Keynes

Date printed 02.12.2022, Revision 02.12.2022

Version 05. Supersedes version: 04

Page 14 / 15

## 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
ATE = acute toxicity estimate  
CAS = Chemical Abstracts Service  
CLP = Classification, Labelling and Packaging  
DMEL = Derived Minimum Effect Level  
DNEL = Derived No Effect Level  
EC50 = Median effective concentration  
ECB = European Chemicals Bureau  
EEC = European Economic Community  
EINECS = European Inventory of Existing Commercial Chemical Substances  
EL50 = Median effective loading  
ELINCS = European List of Notified Chemical Substances  
EmS = Emergency Schedules  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IC50 = Inhibition concentration, 50%  
IMDG = International Maritime Code for Dangerous Goods  
IUCLID = International Uniform Chemical Information Database  
IVIS = In vitro irritation score  
LC50 = Lethal concentration, 50%  
LD50 = Median lethal dose  
LC0 = lethal concentration, 0%  
LOAEL = lowest-observed-adverse-effect level  
LL50 = Median lethal loading  
LQ = Limited Quantities  
MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
NOAEL = No Observed Adverse Effect Level  
NOEC = No Observed Effect Concentration  
PBT = Persistent, Bioaccumulative and Toxic substance  
PNEC = Predicted No-Effect Concentration  
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
STP = Sewage Treatment Plant  
TLV@TWA = Threshold limit value – time-weighted average  
TLV@STEL = Threshold limit value – short-time exposure limit  
VOC = Volatile Organic Compounds  
vPvB = very Persistent and very Bioaccumulative

## 16.3 Other information

### Classification procedure

### Modified position

SECTION 2 been added: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 2 been added: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 2 been added: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 5 been added: Collect contaminated firefighting water separately, must not be discharged into the drains.

SECTION 12 been added: Based on all available information not to be classified as PBT or vPvB respectively.

Mirka (UK) Ltd  
MK4 1GA Milton Keynes

Date printed 02.12.2022, Revision 02.12.2022

Version 05. Supersedes version: 04

Page 15 / 15



Copyright: Chemiebüro®

