

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 3/23/2021 Revision date: 3/23/2021 Supersedes version of: 9/9/2015 Version: 1.5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : FARECLA G3 GLAZE GLOSS ENHANCER

Product code : G3G101, G3G501

Other means of identification : UPC 78072700144, 78072700145

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Use of the substance/mixture : Polishes and wax blends.

1.2.2. Uses advised against

Restrictions on use : This material should not be used for any other purpose than the identified uses without

expert advice. Improper use may cause potential health, safety and environmental risks.

1.3. Details of the supplier of the safety data sheet

Manufacturer Only Representative

Farecla Products Limited Saint-Gobain Coating Solutions

Broadmeads 50 rue du Mourelet Z.I. Courtine Mourre Frais, B.P.

Ware, SG12 9HS - Hertfordshire FR- 90966 84093 Avignon - Cedex

UK France

T +44 (0)19 2046 5041 (8:30-16:30 Monday to Friday) - F +44 (0)19 2046 T 0033 (0) 4 90 85 85 00 - F 0033 (0) 4 90 82 94 52 6557 gualité-ehs.coating-solutions@saint-gobain.com

 $\underline{technical@farecla.com} - \underline{www.farecla.com}$

1.4. Emergency telephone number

Emergency number : +44 (0)19 2046 5041 (8:30-16:30 Monday to Friday)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD 2090 Msida	+356 2545 6508	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not Classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains 1,2-benzisothiazol-3(2H)-one(2634-33-5), 5-Chloro-2-methyl-3(2H)-

isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone(55965-84-9). May produce an

allergic reaction.

EUH210 - Safety data sheet available on request.

Nordic countries regulation

Denmark

MAL code : 00-1

2.3. Other hazards

Other hazards which do not result in classification : If in eyes: this material may cause mechanical irritation.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component		
White mineral oil (petroleum)(8042-47-5)	The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %	
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone(55965-84-9)	The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %	

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	CAS-No.: 64742-48-9 EC-No.: 265-150-3 EC Index-No.: 649-327-00-6 REACH-no: 01-2119456810-	10 – 30	Asp. Tox. 1, H304
Kaolin	CAS-No.: 1332-58-7 EC-No.: 310-194-1	10 – 30	Not Classified
Glycerine	CAS-No.: 56-81-5 EC-No.: 200-289-5 REACH-no: 01-2119471987- 18	1 – 10	Not Classified

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
White mineral oil (petroleum)	CAS-No.: 8042-47-5 EC-No.: 232-455-8 REACH-no: 2119487078-27	1 – 10	Not Classified
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 REACH-no: 01-2120761540-	< 0.05	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation), H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Sodium Nitrate	CAS-No.: 7631-99-4 EC-No.: 231-554-3 REACH-no: 01-2119488221- 41	< 0.003	Ox. Sol. 2, H272 Eye Irrit. 2, H319
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone	CAS-No.: 55965-84-9 EC-No.: 911-418-6 EC Index-No.: 613-167-00-5 REACH-no: 01-2120764691- 48	< 0.0015	Acute Tox. 2 (Inhalation), H330 Acute Tox. 2 (Dermal), H310 Acute Tox. 3 (Oral), H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=10)

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
White mineral oil (petroleum)	CAS-No.: 8042-47-5 EC-No.: 232-455-8 REACH-no: 2119487078-27	(0 ≤C < 100) Asp. Tox. 1, H304
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 REACH-no: 01-2120761540-	(0.05 ≤C ≤ 100) Skin Sens. 1, H317
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone	CAS-No.: 55965-84-9 EC-No.: 911-418-6 EC Index-No.: 613-167-00-5 REACH-no: 01-2120764691-	(0.0015 ≤C < 100) Skin Sens. 1A, H317 (0.06 ≤C < 0.6) Eye Irrit. 2, H319 (0.06 ≤C < 0.6) Skin Irrit. 2, H315 (0.6 ≤C < 100) Skin Corr. 1C, H314 (0.6 ≤C < 100) Eye Dam. 1, H318

Comments

: Contains amongst other ingredients:

 $15\text{--}30\% \ a liphatic \ hydrocarbons; \ 5\text{--}15\% \ zeolites; \ <5\% \ nonionic \ surfactants, \ fragrance, \ colourant, \ chloromethylisothiazolinone, \ methylisothiazolinone, \ benzisothiazolinone.$

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: If you feel unwell, seek medical advice.

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact

 $: \ \ Wash \ skin \ with \ plenty \ of \ water. \ Take \ off \ contaminated \ clothing. \ If \ skin \ irritation \ occurs: \ Get$

medical advice/attention.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after eye contact : Rinse eyes with water as a precaution. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell. Rinse mouth out with water. Do not

induce vomiting. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Contact during a long period may cause light irritation. Itching.

Symptoms/effects after eye contact : May cause eye irritation. redness, itching, tears.

Symptoms/effects after ingestion : May cause irritation to the digestive tract. Ingestion may cause nausea and vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not scatter spilled material with high-pressure water streams.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Unidentified organic compounds may be formed in fumes and smoke during combustion.

Explosion hazard : No direct explosion hazard.

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon monoxide. Carbon dioxide. Nitrogen oxides.

5.3. Advice for firefighters

Precautionary measures fire : Keep container closed when not in use.

Firefighting instructions : Evacuate area. Eliminate all ignition sources if safe to do so. In case of fire: stop leak if safe

to do so.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

Other information : On exposure to high temperature, may decompose, releasing toxic gases.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with skin and eyes. Stop leak if safe to do so. Clean up any spills as soon as

possible, using an absorbent material to collect it.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Absorb spilled material with sand or earth.

Shovel or sweep up and put in a closed container for disposal. Clean contaminated surfaces

with an excess of water.

Other information : Dispose of materials or solid residues at an authorized site.

3/23/2021 (Revision date) EN (English) 4/18

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Keep at temperatures above freezing. Allowing

freezing conditions may degrade product.

Incompatible products : Oxidizing agent. Strong acids. Strong bases.

Information on mixed storage : Store away from foodstuffs.

Storage area : Store away from heat. Store in a well-ventilated place.

Special rules on packaging : Keep only in original container. Store in a closed container.

7.3. Specific end use(s)

Refer to Section 1.2 - Relevant identified uses.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone (55965-84-9)		
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	0.05 mg/m³ (5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-methyl-2,3-dihydroisothiazol-3-one mixture in ratio 3:1)	
OEL chemical category	Skin sensitizer	
Switzerland - Occupational Exposure Limits		
Local name	2,3-Dihydro-isothiazol-3-one de 5-chloro-2-méthyle et 2,3-dihydro-isothiazol-3-one de 2-méthyle [2,3-Dihydro-isothiazol-3-one de 5-chloro-2-méthyle, 2,3-Dihydro-isothiazol-3-one de 2-méthyle] / 5-Chlor-2-methyl-2,3-dihydro-isothiazol-3-on und 2-Methyl-2,3-dihydroisothiazol-3-on [2-Methyl-2,3-dihydroisothiazol-3-on, 5-Chlor-2-methyl-2,3-dihydroisothiazol-3-on]	
MAK (OEL TWA) [1]	0.2 mg/m³ (i) / (e)	
KZGW (OEL STEL)	0.4 mg/m³ (i) / (e)	
Critical toxicity	VRS, Peau, Yeux / OAW, Haut, Auge	
Notation	S, SS _C / S, SS _C	
Regulatory reference	www.suva.ch, 01.01.2021	
Sodium Nitrate (7631-99-4)		
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	6 mg/m³ (dust)	
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics (64742-48-9)		
Poland - Occupational Exposure Limits		
Local name	Benzyna do lakierów	

3/23/2021 (Revision date) EN (English) 5/18

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics (64742-48-9)		
NDS (OEL TWA)	300 mg/m³	
NDSCh (OEL STEL)	900 mg/m³	
Regulatory reference	Dz. U. 2018 poz. 1286	
Switzerland - Occupational Exposure Limits		
Local name	Naphta lourd (pétrole), hydrotraité / Naphtha (Erdöl), mit Wasserstoff behandelte, schwere	
MAK (OEL TWA) [1]	300 mg/m³	
MAK (OEL TWA) [2]	50 ppm	
KZGW (OEL STEL)	600 mg/m³	
KZGW (OEL STEL) [ppm]	100 ppm	
Critical toxicity	SNC / ZNS	
Regulatory reference	www.suva.ch, 01.01.2021	
White mineral oil (petroleum) (8042-47-5)		
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA) [1]	5 mg/m³ (A)	
Peak exposure limitation factor	4(II)	
Remark	DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden	
Regulatory reference	TRGS900	
Switzerland - Occupational Exposure Limits		
Local name	Huile de paraffine / Weissöl, pharmazeutisch	
MAK (OEL TWA) [1]	5 mg/m³ (i) / (e)	
Critical toxicity	Poumons / Lunge	
Notation	SS _c / SS _c	
Remark	NIOSH, DFG	
Regulatory reference	www.suva.ch, 01.01.2021	
Glycerine (56-81-5)		
Belgium - Occupational Exposure Limits		
Local name	Glycérine (brouillard) # Glycerine (nevel)	
OEL TWA	10 mg/m³	
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021	
Czech Republic - Occupational Exposure Limits		
Local name	Glycerol, mlha	
PEL (OEL TWA)	10 mg/m³	
PEL (OEL TWA) [ppm]	2.6 ppm	
NPK-P (OEL C)	15 mg/m³	
NPK-P (OEL C) [ppm]	3.9 ppm	
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 195/2021 Sb.)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Glycerine (56-81-5)		
Finland - Occupational Exposure Limits		
Local name	Glyseroli	
HTP (OEL TWA) [1]	20 mg/m³	
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)	
France - Occupational Exposure Limits		
Local name	Glycérine (aérosols de)	
VME (OEL TWA)	10 mg/m³	
Remark	Valeurs recommandées/admises	
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)	
Germany - Occupational Exposure Limits (TRGS 90		
AGW (OEL TWA) [1]	200 mg/m³ (E)	
Peak exposure limitation factor	2(I)	
Remark	DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden	
Regulatory reference	TRGS900	
Greece - Occupational Exposure Limits		
Local name	Γλυκερίνη	
OEL TWA	10 mg/m³	
Regulatory reference	Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους	
Poland - Occupational Exposure Limits		
Local name	Glicerol	
NDS (OEL TWA)	10 mg/m³ frakcja wdychalna	
Remark	Frakcja wdychalna – frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.	
Regulatory reference	Dz. U. 2018 poz. 1286	
Spain - Occupational Exposure Limits		
Local name	Glicerina	
VLA-ED (OEL TWA) [1]	10 mg/m³ nieblas	
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2021. INSHT	
United Kingdom - Occupational Exposure Limits		
Local name	Glycerol	
WEL TWA (OEL TWA) [1]	10 mg/m³ mist	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Switzerland - Occupational Exposure Limits		
Local name	Glycérine / Glycerin	
MAK (OEL TWA) [1]	50 mg/m³ (i) / (e)	
KZGW (OEL STEL)	100 mg/m³ (i) / (e)	
Critical toxicity	VRS / OAW	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Glycerine (56-81-5)		
Notation	SSc / SSc	
Regulatory reference	www.suva.ch, 01.01.2021	
Kaolin (1332-58-7)		
Belgium - Occupational Exposure Limits		
Local name	Kaolin (fraction alvéolaire) # Kaolien (inadembare fractie)	
OEL TWA	2 mg/m³ (alveolar fraction)	
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021	
Bulgaria - Occupational Exposure Limits		
Local name	Каолин, съдържащ под 2 % свободен кристален силициев диоксид в респирабилната фракция	
OEL TWA	3 mg/m³ (containing <2% free Crystalline silicon dioxide in respirable fraction-respirable fraction) 6 mg/m³ (containing <2% free Crystalline silicon dioxide in respirable fraction-inhalable fraction)	
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 47 от 2021 г., в сила от 04.06.2021 г.)	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA) [1]	2 mg/m³ (respirable dust)	
Denmark - Occupational Exposure Limits		
OEL TWA [1]	2 mg/m³ (respirable)	
Finland - Occupational Exposure Limits		
Local name	Kaoliini	
HTP (OEL TWA) [1]	2 mg/m³ alveolijae	
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)	
France - Occupational Exposure Limits		
VME (OEL TWA)	10 mg/m³	
Ireland - Occupational Exposure Limits		
Local name	Kaolin, respirable dust	
OEL TWA [1]	2 mg/m³	
Regulatory reference	Chemical Agents Code of Practice 2021	
Poland - Occupational Exposure Limits		
Local name	Kaolin	
NDS (OEL TWA)	10 mg/m³ (the concentration of the respirable Crystalline silica fraction is determined simultaneously-inhalable fraction)	
Remark	Frakcja wdychalna – frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia. Obowiązuje jednoczesne oznaczanie stężeń frakcji respirabilnej krzemionki krystalicznej.	
Regulatory reference	Dz. U. 2018 poz. 1286	
Portugal - Occupational Exposure Limits		
OEL TWA	2 mg/m³ (respirable fraction, particulate matter containing no Asbestos and <1% Crystalline silica)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Kaolin (1332-58-7)		
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	2 mg/m³ (this value is for the particulate matter that is free from Asbestos and contains less than 1% of crystalline Silica-respirable fraction)	
United Kingdom - Occupational Exposure Limits		
Local name	Kaolin	
WEL TWA (OEL TWA) [1]	2 mg/m³ (respirable dust)	
WEL STEL (OEL STEL)	6 mg/m³ (calculated-respirable dust)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Switzerland - Occupational Exposure Limits		
Local name	Kaolin / Kaolin	
MAK (OEL TWA) [1]	3 mg/m³ (respirable dust)	
Critical toxicity	Fibpulm / Lungenfibrose	
Regulatory reference	www.suva.ch, 01.01.2021	
USA - ACGIH - Occupational Exposure Limits		
Local name	Kaolin	
ACGIH OEL TWA	2 mg/m³ (particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter)	
Remark (ACGIH)	TLV® Basis: Pneumoconiosis. Notations: A4 (Not classifiable as a Human Carcinogen)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
Regulatory reference	ACGIH 2022	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

Personal protective equipment symbol(s):







Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves. Examples of preferred glove barrier materials include: Butyl rubber. Natural rubber ("latex"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Polyvinyl alcohol ("PVA"). Polyvinyl chloride ("PVC" or "vinyl").

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. The fine-dust mask with exhale Valve is recommended to use when dust and mist exceed exposure limits in air, according to EN149:2001 + A1:2009 FFP2 NR standard. The respiratory mask should be worn when respiratory hazards has been identified and evaluated. Respiratory protection should be always determined on quantitative exposure assessments.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Consumer exposure controls:

The substance is not classified for human health hazards or for environment effects and it is not PBT or vPvB so that no exposure assessment or risk characterisation is required. For tasks where the intervention of workers is required, the substance must be handled in accordance with good industrial hygiene and safety procedures.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Blue. Odour : pleasant. Odour threshold : Not available : Not available Melting point : ≈0°C Freezing point Boiling point : 100 °C Flammability : Not applicable

Explosive properties : Product is not explosive.

Oxidising properties : Non oxidizing material according to EC criteria.

Explosive limits : Not available
Lower explosion limit : Not applicable.
Upper explosion limit : Not applicable.
Flash point : > 93 °C
Auto-ignition temperature : Not available
Decomposition temperature : Not available

pH : 7 – 8

Viscosity, kinematic : 15000 mm²/s (20°C)

Viscosity, dynamic : 15000 cP

Solubility : Dispersible in water.

Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : Not available

Vapour pressure at 50 °C : Not available
Density : Not available
Relative density : 1.05

Relative vapour density at 20 °C : Not available Particle characteristics : Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 231 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not Classified
Acute toxicity (dermal) : Not Classified
Acute toxicity (inhalation) : Not Classified

Acute toxicity (inhalation)	Not Classified	
1,2-benzisothiazol-3(2H)-one (2634-33-5)		
LD50 oral rat	1020 mg/kg	
LD50 oral	670 mg/kg	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
5-Chloro-2-methyl-3(2H)-isothiazolone, mixtur	re with 2-methyl-3(2H)-isothiazolone (55965-84-9)	
LD50 oral rat	53 mg/kg	
LD50 dermal rat	> 1008 mg/kg bodyweight Animal: rat, Guideline: EPA OPP 81-2 (Acute Dermal Toxicity), Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
Sodium Nitrate (7631-99-4)		
LD50 oral rat	≈ 3430 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 dermal rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

LD50 dermal rat	Hydrocarbons, C11-C13, isoalkanes, <2% aromatics (64742-48-9)		
Toxicity	LD50 oral rat	> 5000 mg/kg	
Toxicity	LD50 dermal rat		
White mineral oil (petroleum) (8042-47-5) LD50 oral rat > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LC50 Inhalation - Rat > 5 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) Kaolin (1332-58-7) LD50 dermal rat > 5000 mg/kg LD50 dermal rat > 5000 mg/kg Skin corrosion/irritation > 5000 mg/kg Skin corrosion/irritation > 1 Not Classified pht 7 - 8 Serious eye damage/irritation > 1 Not Classified pht 7 - 8 Respiratory or skin sensitisation > 1 Not Classified Germ cell mutagenicity > 1 Not Classified Germ cell mutagenicity > Sot Germ cell mutagenicity	LD50 dermal rabbit	,	
LD50 oral rat Section	LC50 Inhalation - Rat [ppm]	> 290 ppm/4h	
LD50 dermal rabbit	White mineral oil (petroleum) (8042-47-5)		
LC50 Inhalation - Rat > 5 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) Kaolin (1332-58-7) LD50 oral rat > 5000 mg/kg LD50 dermal rat > 5000 mg/kg Skin corrosion/irritation : Not Classified pH: 7 - 8 Serious eye damage/irritation : Not Classified pH: 7 - 8 Respiratory or skin sensitisation : Not Classified Germ cell mutagenicity : Not Classified Stort-repeated exposure : Not Classified Germ cell mutagenicity : Not Classified Stort-repeated exposure : Not Cl	LD50 oral rat		
Kaolin (1332-58-7) LD50 oral rat > 5000 mg/kg Skin corrosion/irritation > 100 Classified PH: 7 - 8 Serious eye damage/irritation > 100 Classified PH: 7 - 8 Respiratory or skin sensitisation > 100 Classified PH: 7 - 8 Respiratory or skin sensitisation > 100 Classified PH: 7 - 8 Respiratory or skin sensitisation > 100 Classified > 100 C	LD50 dermal rabbit		
LD50 oral rat LD50 dermal rat > 5000 mg/kg	LC50 Inhalation - Rat	> 5 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)	
LD50 dermal rat > 5000 mg/kg Skin corrosion/irritation : Not Classified pH: 7 – 8 Serious eye damage/irritation : Not Classified pH: 7 – 8 Respiratory or skin sensitisation : Not Classified Germ cell mutagenicity : Not Classified Germ cell mutagenicity : Not Classified Carcinogenicity : Not Classified 1,2-benzisothiazol-3(2H)-one (2634-33-5) NOAEL (animal/female, F1) 56.6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) STOT-single exposure : Not Classified 5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone (55965-84-9) LOAEL (dermal, rat/rabbit, 90 days) 0.525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days) Sodium Nitrate (7631-99-4) NOAEL (oral, rat, 90 days) ≥ 1500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) White mineral oil (petroleum) (8042-47-5) NOAEL (oral, rat, 90 days) ≥ 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies) Aspiration hazard : Not Classified FARECLA G3 GLAZE GLOSS ENHANCER	Kaolin (1332-58-7)		
Skin corrosion/irritation : Not Classified pH: 7 – 8 Serious eye damage/irritation : Not Classified pH: 7 – 8 Respiratory or skin sensitisation : Not Classified pH: 7 – 8 Respiratory or skin sensitisation : Not Classified Germ cell mutagenicity : Not Classified Germ cell mutagenicity : Not Classified Reproductive toxicity : Not Classified Reproductive toxicity : Not Classified Reproductive toxicity : Not Classified Reproduction and Fertility Effects) NOAEL (animal/female, F1) 56.6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) STOT-single exposure : Not Classified STOT-repeated exposure : Not Classified 5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone (55965-84-9) LOAEL (dermal, rat/rabbit, 90 days) 0.525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days) Sodium Nitrate (7631-99-4) NOAEL (oral, rat, 90 days) ≥ 1500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) White mineral oil (petroleum) (8042-47-5) NOAEL (oral, rat, 90 days) ≥ 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies) Aspiration hazard : Not Classified	LD50 oral rat	> 5000 mg/kg	
Serious eye damage/irritation	LD50 dermal rat	> 5000 mg/kg	
Serious eye damage/irritation : Not Classified pH: 7 − 8 Respiratory or skin sensitisation : Not Classified Germ cell mutagenicity : Not Classified Reproductive toxicity : Not Classified Reproductive toxicity : Not Classified Reproductive toxicity : Not Classified 1,2-benzisothiazol-3(2H)-one (2634-33-5) NOAEL (animal/female, F1) S6.6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) STOT-single exposure : Not Classified STOT-repeated exposure : Not Classified 5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone (55965-84-9) LOAEL (dermal, rat/rabbit, 90 days) 0.525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days) Sodium Nitrate (7631-99-4) NOAEL (oral, rat, 90 days) ≥ 1500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) White mineral oil (petroleum) (8042-47-5) NOAEL (oral, rat, 90 days) ≥ 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies) Aspiration hazard : Not Classified FARECLA G3 GLAZE GLOSS ENHANCER	Skin corrosion/irritation		
Germ cell mutagenicity : Not Classified Carcinogenicity : Not Classified Reproductive toxicity : Not Classified 1,2-benzisothiazol-3(2H)-one (2634-33-5) NOAEL (animal/female, F1)	Serious eye damage/irritation	Not Classified	
Carcinogenicity Reproductive toxicity: Not Classified 1,2-benzisothiazol-3(2H)-one (2634-33-5) NOAEL (animal/female, F1) 56.6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) STOT-single exposure: Not Classified STOT-repeated exposure: Not Classified 5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone (55965-84-9) LOAEL (dermal, rat/rabbit, 90 days) Codium Nitrate (7631-99-4) NOAEL (oral, rat, 90 days) Position of the production of the produc	Respiratory or skin sensitisation	: Not Classified	
Reproductive toxicity : Not Classified 1,2-benzisothiazol-3(2H)-one (2634-33-5) NOAEL (animal/female, F1) 56.6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) STOT-single exposure : Not Classified STOT-repeated exposure : Not Classified 5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone (55965-84-9) LOAEL (dermal, rat/rabbit, 90 days) 0.525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days) Sodium Nitrate (7631-99-4) ≥ 1500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) White mineral oil (petroleum) (8042-47-5) ≥ 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies) Aspiration hazard : Not Classified FARECLA G3 GLAZE GLOSS ENHANCER	Germ cell mutagenicity	: Not Classified	
1,2-benzisothiazol-3(2H)-one (2634-33-5) NOAEL (animal/female, F1) 56.6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) STOT-single exposure : Not Classified 5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone (55965-84-9) LOAEL (dermal, rat/rabbit, 90 days) 0.525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days) Sodium Nitrate (7631-99-4) NOAEL (oral, rat, 90 days) ≥ 1500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) White mineral oil (petroleum) (8042-47-5) NOAEL (oral, rat, 90 days) ≥ 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies) Aspiration hazard : Not Classified FARECLA G3 GLAZE GLOSS ENHANCER	Carcinogenicity	: Not Classified	
NOAEL (animal/female, F1) 56.6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) STOT-single exposure STOT-repeated exposure Not Classified S-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone (55965-84-9) LOAEL (dermal, rat/rabbit, 90 days) Sodium Nitrate (7631-99-4) NOAEL (oral, rat, 90 days) ≥ 1500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) White mineral oil (petroleum) (8042-47-5) NOAEL (oral, rat, 90 days) ≥ 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies) Aspiration hazard STOT-single podyweight Animal: rat, Animal sex: female, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days) Sodium Nitrate (7631-99-4) NOAEL (oral, rat, 90 days) ≥ 1500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Chronic Toxicity / Carcinogenicity Studies) STOT-single podyweight Animal: rat, Animal sex: female, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days) Sodium Nitrate (7631-99-4) NOAEL (oral, rat, 90 days) ≥ 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies) STOT-single podyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)	Reproductive toxicity	: Not Classified	
(Reproduction and Fertility Effects) STOT-single exposure : Not Classified STOT-repeated exposure : Not Classified 5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone (55965-84-9) LOAEL (dermal, rat/rabbit, 90 days) 0.525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days) Sodium Nitrate (7631-99-4) NOAEL (oral, rat, 90 days) ≥ 1500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) White mineral oil (petroleum) (8042-47-5) NOAEL (oral, rat, 90 days) ≥ 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies) Aspiration hazard : Not Classified	1,2-benzisothiazol-3(2H)-one (2634-33-5)		
STOT-repeated exposure : Not Classified 5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone (55965-84-9) LOAEL (dermal, rat/rabbit, 90 days)	NOAEL (animal/female, F1)		
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone (55965-84-9) LOAEL (dermal, rat/rabbit, 90 days) 0.525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days) Sodium Nitrate (7631-99-4) NOAEL (oral, rat, 90 days) ≥ 1500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) White mineral oil (petroleum) (8042-47-5) NOAEL (oral, rat, 90 days) ≥ 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies) Aspiration hazard: Not Classified	STOT-single exposure	: Not Classified	
LOAEL (dermal, rat/rabbit, 90 days) 0.525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days) Sodium Nitrate (7631-99-4) NOAEL (oral, rat, 90 days) ≥ 1500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) White mineral oil (petroleum) (8042-47-5) NOAEL (oral, rat, 90 days) ≥ 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies) Aspiration hazard : Not Classified FARECLA G3 GLAZE GLOSS ENHANCER	STOT-repeated exposure	: Not Classified	
Sodium Nitrate (7631-99-4) NOAEL (oral, rat, 90 days) ≥ 1500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) White mineral oil (petroleum) (8042-47-5) NOAEL (oral, rat, 90 days) ≥ 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies) Aspiration hazard: Not Classified FARECLA G3 GLAZE GLOSS ENHANCER	5-Chloro-2-methyl-3(2H)-isothiazolone, mixtu	re with 2-methyl-3(2H)-isothiazolone (55965-84-9)	
NOAEL (oral, rat, 90 days) ≥ 1500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) White mineral oil (petroleum) (8042-47-5) NOAEL (oral, rat, 90 days) ≥ 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies) Aspiration hazard: Not Classified FARECLA G3 GLAZE GLOSS ENHANCER	LOAEL (dermal, rat/rabbit, 90 days)		
Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) White mineral oil (petroleum) (8042-47-5) NOAEL (oral, rat, 90 days) ≥ 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies) Aspiration hazard : Not Classified FARECLA G3 GLAZE GLOSS ENHANCER	Sodium Nitrate (7631-99-4)		
NOAEL (oral, rat, 90 days) ≥ 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies) Aspiration hazard: Not Classified FARECLA G3 GLAZE GLOSS ENHANCER	NOAEL (oral, rat, 90 days)	Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening	
Toxicity / Carcinogenicity Studies) Aspiration hazard : Not Classified FARECLA G3 GLAZE GLOSS ENHANCER	White mineral oil (petroleum) (8042-47-5)		
FARECLA G3 GLAZE GLOSS ENHANCER	NOAEL (oral, rat, 90 days)	≥ 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)	
	Aspiration hazard	: Not Classified	
Viscosity, kinematic 15000 mm²/s (20°C)	FARECLA G3 GLAZE GLOSS ENHANCER		
	Viscosity, kinematic	15000 mm²/s (20°C)	

11.2. Information on other hazards

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term

(chronic)

: Not Classified

: Not Classified

Not rapidly degradable	
1,2-benzisothiazol-3(2H)-one (2634-33-	5)
LC50 - Fish [1]	≈ 16.7 mg/l Test organisms (species): Cyprinodon variegatus
LC50 - Fish [2]	2.15 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	2.94 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	2.9 mg/l Test organisms (species): Daphnia magna
5-Chloro-2-methyl-3(2H)-isothiazolone	, mixture with 2-methyl-3(2H)-isothiazolone (55965-84-9)
LC50 - Fish [1]	0.19 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
LC50 - Fish [2]	0.28 mg/l Test organisms (species): Lepomis macrochirus
EC50 - Crustacea [1]	0.16 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	0.0052 mg/l (Skeletonema costatum) (OECD 201)
EC50 72h - Algae [1]	0.048 mg/l (Pseudokirchneriella subcapitata) (OECD 201)
NOEC (chronic)	0.1 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	0.098 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'
NOEC chronic crustacea	0.004 mg/l 21 d (Daphnia) (OECD 211)
NOEC chronic algae	0.0012 mg/l 72 h (Pseudokirchneriella subcapitata) (OECD 201)
Sodium Nitrate (7631-99-4)	
LC50 - Fish [1]	1559 mg/l Test organisms (species): other:
LC50 - Fish [2]	1354 mg/l Test organisms (species): other:
Hydrocarbons, C11-C13, isoalkanes, <	2% aromatics (64742-48-9)
LC50 - Fish [1]	1000 mg/l Oncorhynchus mykiss
EC50 - Crustacea [1]	1000 mg/l Daphnia magna
EC50 72h - Algae [1]	1000 mg/l Pseudokirchneriella subcapitata
Glycerine (56-81-5)	
LC50 - Fish [1]	54000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)

12.2. Persistence and degradability

FARECLA G3 GLAZE GLOSS ENHANCER	
Persistence and degradability	Readily biodegradable.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.3. Bioaccumulative potential

FARECLA G3 GLAZE GLOSS ENHANCER			
Bioaccumulative potential No indication of bio-accumulation potential.			
1,2-benzisothiazol-3(2H)-one (2634-33-5)			
Partition coefficient n-octanol/water (Log Pow) 1.3 (25 °C)			
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone (55965-84-9)			
Bioconcentration factor (BCF REACH) 3.6 (calculated) S 1177			
Sodium Nitrate (7631-99-4)			
Partition coefficient n-octanol/water (Log Pow) -3.8 (at 25 °C)			

12.4. Mobility in soil

FARECLA G3 GLAZE GLOSS ENHANCER	
Ecology - soil	Semi-solid under most environmental conditions. If it enters soil, it will adsorb to soil particles and will not be mobile.

12.5. Results of PBT and vPvB assessment

FARECLA G3 GLAZE GLOSS ENHANCER

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	ADR IMDG IATA		ADN	RID
14.1. UN number or ID n	number			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shippin	g name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard	14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.5. Environmental haz	ards			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)	
Reference code Applicable on	
3(b)	5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone; Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
3(c)	5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

ANNEX II REPORTABLE EXPLOSIVES PRECURSORS

List of substances on their own or in mixtures or in substances for which suspicious transactions and significant disappearances and thefts are to be reported to the relevant national contact point within 24 hours.

Name	CAS-No.	Nomenclature	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Sodium nitrate	7631-99-4	3102 50 00	ex 3824 99 96

Please see https://ec.europa.eu/home-affairs/system/files/2021-11/list_of_competent_authorities_and_national_contact_points_en.pdf VOC content : 231 g/l

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

CESIO recommendations

: The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

France		
Occupational diseases		
Code	Description	
RG 65	Eczematiform lesions of allergic mechanism	
RG 66	Occupational rhinitis and asthma	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

List of sensitizing substances (TRGS 907) : Contains sensitizing substances according TRGS 907

Netherlands

SZW-lijst van kankerverwekkende stoffen : Hydrocarbons, C11-C13, isoalkanes, <2% aromatics,Kaolin are listed

SZW-lijst van mutagene stoffen : Hydrocarbons, C11-C13, isoalkanes, <2% aromatics,Kaolin are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
IARC	International Agency for Research on Cancer
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
NOAEC	No-Observed Adverse Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
SDS Safety Data Sheet	

Full text of H- and EUH-statements:		
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2	
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH208	Contains 1,2-benzisothiazol-3(2H)-one(2634-33-5), 5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone(55965-84-9). May produce an allergic reaction.	
EUH210	Safety data sheet available on request.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H272	May intensify fire; oxidiser.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H310	Fatal in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
Ox. Sol. 2	Oxidising Solids, Category 2	
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1A	Skin sensitisation, category 1A	

Safety Data Sheet (SDS), EU

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

While Farecla Products Ltd. believes that the data and information contained herein are factual and the opinions are those of qualified experts, they are not to be taken as a warranty or representation for which Farecla assumes any legal responsibility. They are offered solely for the consideration, investigation, data and information in accordance with applicable laws and regulations.